


FIBCs


Types

All FIBCs can be made to suit your filling, handling and discharge needs and is one of the most economical and environmentally secure ways to transport powders, flakes, granules, pellets and solids easily and efficiently.




Cross Corner Loops

Best suited to circular woven models with fewer seams



Side Seam Loops

Excellent with models produced from flat woven fabric




Form Stable

Maximising the volume / weight shipped by up to 30% and available in either cross corner or side seam loop form


Tops

To assist you and make it as easy as possible to fill using your equipment there are various tops available including.




Open Top

Filling straight into the FIBC and is mainly used for commodity products not requiring additional protection



Top Skirt

Opens out fully to allow easy product access and then secured for protection




Fill Spout

Allows for controlled and clean filling protecting personnel, equipment and the local environment

Other 'add-ons': 1. Sift-proof seams, 2. Coated Fabric, 3. Conductive Materials, 4. Hygiene Options, 5. Coloured Webbing/Thread, 6. Coloured Fabrics 7. Petal Closure/Pyjama Closure, 8. B-locks and other "tie" types, 9. Food Approved Construction (AIB accredited if needed), 10. UN Dangerous Goods Approved Constructions.

Bases

For quick, easy, safe and clean discharging the following methods are most commonly used.



Flat Base

When a single-trip and most cost effective method is needed




Base Spout

Easy access and controlled discharge



Pyjama Base

Additional cover to keep the spout clean, protected and safe inside the FIBC



Conical Spout

To assist discharge of products that tend to bridge and not flow easily



New Palletless Base Two-Way Entry

Minimise your logistics cost; simple and effective method for cost reduction handling and shipping

Standard Base Sizes Available


93 x 93cm
95 x 95cm
97 x 97cm
100 x 100cm
105 x 105cm
98 x 105cm

Main Heights Available

90 – 220cm
(Maximum ratio of 2:1 height:base)
Bespoke base/height dimensions to fit customer needs


Closures

For extra protection and for a flatter base when transported on pallets the following methods are available.



Petal Closure

Tucks the spout back up inside the FIBC for a flatter base



Regulation Valve

Used mainly for fine and sensitive products for food, chemicals and pharma applications